	Application No.	Applicant(s)
Notice of Allowability	10/500 000	LEONED HIDOEN
	10/533,866 Examiner	LEGNER, JURGEN Art Unit
	Richard M. Lorence	3681
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendment filed on June 29, 2007.		
2. The allowed claim(s) is/are <u>9-14 and 16-24</u> .		
3. ☑ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☑ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. 🖂 Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
	Paper No./Mail Dat	te
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. 🛭 Examiner's Amendr	nenvComment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material		ent of Reasons for Allowance
	9. 🗌 Other	
		·
		·

RESPONSE TO AMENDMENT

The amendment filed on July 29, 2007 has been entered. The specification and claim 9 have been amended, claim 15 has been cancelled, and new claims 17-24 have been added. Claims 9-14 and 16-24 are currently pending.

The replacement drawing sheet filed on July 29, 2007 is acceptable.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. The change is necessary in order to correct a typographical error and to avoid duplication of claim 14.

Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In line 1 of claim 22 "12" has been changed to - - 20 - -.

REASONS FOR ALLOWANCE

Claims 9-14 and 16-24 are allowed.

The following is an examiner's statement of reasons for allowance:

The prior art does not show or render obvious a device as set forth in claim 9 including a bridging clutch and a primary clutch arranged in series and switchable with only one control pressure wherein inner discs of the primary clutch are connected with

Art Unit: 3681

an input shaft and outer discs of the primary clutch are connected with an impeller of the torque converter.

The prior art also does not show or render obvious a device as set forth in claim 17 including a bridging clutch and a primary clutch arranged in series and switchable with only one control pressure wherein the bridging clutch is situated between a pump and a turbine of the one torque converter, and the primary clutch is situated between the input shaft and the torque converter to control the torque converter.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Richard M. Lorence whose telephone number is (571) 272-7094. The examiner can normally be reached on Mondays through Fridays from 10:30AM to 7:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Charles A. Marmor can be reached on (571) 272-7095. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3681

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Richard M. Lorence Primary Examiner Art Unit 3681 Page 4

rml